

CY3R-HHS technical information

3-Roll plate rolls

Model	Working Length	Max. Thick-ness	Pre-Bending Thickness	Top Roll Dia.	Side Roll Dia.	Motor Power	Length	Height	Width	Weight	
	feet	Inch	inch	Inch	Inch	HP	Feet	Feet	Feet	lbs	
CY3R-HHS 160-20/6.0	6	1/4	8 ga.	6.3	7.1	3	13	3.8	3.5	4.630	Min Ø: Top Roll Ø x 3
CY3R-HHS 190-20/8.0	6	5/16	1/4	7.5	7.1	4	13	3.8	3.5	6.504	
CY3R-HHS 210-20/10	6	3/8	5/16	8.3	7.5	10	13	3.8	3.5	8.708	
CY3R-HHS 230-20/13	6	1/2	3/8	9.1	8.3	10	13.2	4.2	4.5	10.318	
CY3R-HHS 270-20/16	6	5/8	1/2	10.6	9.8	15	13.7	4.5	4.7	11.574	

CY3R-HHS 300-20/20	6	13/16	5/8	11.8	10.6	20	14.6	5.3	5.3	15.256
CY3R-HHS 330-20/25	6	1	13/16	13	11.8	20	13.9	6	5.9	18.850
CY3R-HHS 360-20/30	6	1-3/16	1	14.2	13	30	14.8	6.6	6.2	20.723
CY3R-HHS 390-20/40	6	1-9/16	1-3/16	15.4	14.2	30	16.1	7.2	6.4	37.479
CY3R-HHS 430-20/45	6	1-3/4	1-3/8	16.9	15.4	40	17.1	8.2	7.2	42.439

Model	Working Length	Max. Thick-ness	Pre-Bending Thickness	Top Roll Dia.	Side Roll Dia.	Motor Power	Length	Height	Width	Weight	
	feet	Inch	inch	Inch	Inch	HP	Feet	Feet	Feet	lbs	
CY3R-HHS	8	1/4	8 ga.	7.5	6.7	4	14.6	3.8	3.5	7.385	Min Ø: Top

190-25/6.0											Roll Ø x 3
CY3R-HHS 210-25/8.0	8	5/16	1/4	8.3	7.5	10	14.6	3.8	3.5	9.259	
CY3R-HHS 230-25/10	8	3/8	5/16	9.1	8.3	10	14.9	4.2	4.5	10.141	
CY3R-HHS 270-25/13	8	1/2	3/8	10.6	9.8	15	15.4	4.5	4.7	12.125	
CY3R-HHS 300-25/16	8	5/8	1/2	11.8	10.6	15	16.4	5.4	5.4	16.865	
CY3R-HHS 330-25/20	8	13/16	5/8	13	11.8	20	16.4	6.1	6.1	20.944	
CY3R-HHS 360-25/25	8	1	13/16	14.2	13	25	16.1	6.1	6.1	26.235	
CY3R-HHS 390-25/30	8	1-3/16	1	15.4	14.2	30	17.7	6.6	7.1	32.408	
CY3R-HHS 430-25/40	8	1-9/16	1-3/16	16.9	15.4	40	19.7	7.2	7.2	36.817	

**WESTERN SHIPREPAIR**

Minijos g.180  
LT-93269 Klaipeda  
LITHUANIA

**UAB VAKARŲ LAIVŲ REMONTAS**

Phone (+370) 46 483 764  
marketing@wsy.lt  
www.wsr.lt

Company code 142177182  
Reg. no AB 03-377  
Klaipeda Municipality

Acc. No. LT647300010138844025  
AB Swedbank  
Bank code 73000  
VAT LT421771811  
SWIFT HABALT22

